

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live		# Video Inputs	PTZ		Motion detection	Events		State supervision	Config. from within BVMS	Audio In
					Direct	VSG		Direct	Motion		Input	Relay			
title					Direct	VSG		Direct	Motion	Input	Relay				G.711
title		Axis													
A			AXIS Q6114-E	5.65.2	✓	●	1	✓	✓	n.a.	n.a.	✓	✓	n.a.	
B			AXIS Q6115-E	5.65.2	✓	●		✓	✓	n.a.	n.a.	✓	✓	n.a.	
A			AXIS P1204	5.50.6	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS P1354	5.60.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A				5.40.19.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A				5.60.1.4	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
B			Axis P1354-E	5.60.1.4	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS P1355		✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS P1357	5.40.19.2	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A				5.70.1.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	✗	
A				5.90.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	✗	
B			AXIS P1357-E	5.70.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1405-E	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1405-LE	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1425-E	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1425-LE	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1427-E	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P1427-LE	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
A			AXIS P1428-E	5.80.1.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	✗	
B			AXIS P3214-V	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P3214-VE	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P3215-V	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
B			AXIS P3215-VE	5.80.1.1	✓	✓			✓	✓	n.a.	✓	✓	✓	
A			AXIS P3364-V	5.60.1.4	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	✗	
B			AXIS P3364-LV	5.60.1.4	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
B			AXIS P3364-LVE	5.60.1.4	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
B			AXIS P3364-VE	5.60.1.4	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
A			AXIS P3384	5.60.1.4	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS Q1614	5.60.1.4	✓	✓	1	n.a.	✓	✓	n.a.	✓	✗	✗	
B			AXIS Q1614-E	5.60.1.4	✓	✓		n.a.	✓	✓	n.a.	✓	✗	✗	
A			AXIS Q1921	5.50.4.1	✓	✓	1	n.a.	✓	✓	n.a.	✗	●	✗	
A			AXIS P3346	5.50.3.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS P3365	5.80.1	✓	✓	1	n.a.	n.a.	✓	n.a.	✓	●	n.a.	
B			AXIS Q1615	5.80.1.2	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
B			AXIS Q1615-E	5.80.1.2	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
B			AXIS Q1635	5.80.1.2	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
A			AXIS Q3505-V	5.80.1.2	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	●	
B			AXIS Q3505-VE	5.80.1.2	✓	✓		n.a.	✓	✓	n.a.	✓	✓	✓	
B			AXIS M3006-V	5.70.1.2	✓	✓		n.a.	✓	✓	n.a.	✗	✓	✓	
A			AXIS M3007-PV	5.70.1.2	✓	✓	n.a.	n.a.	✓	✓	n.a.	✗	✓	n.a.	
B			AXIS M3007-P	5.70.1.2	✓	✓		n.a.	✓	✓	n.a.	✗	✓	n.a.	
A			AXIS M3014	5.40.9.5	✓	✓	1	n.a.	✓	✓	n.a.	✗	●	n.a.	
B			AXIS M3026-VE	5.70.1.2	✓	✓		n.a.	✓	✓	n.a.	✗	✓	n.a.	
B			AXIS M3027-PVE	5.70.1.2	✓	✓		n.a.	✓	✓	n.a.	✗	✓	n.a.	
A			AXIS M3037	5.75.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS M3204	5.50.3.1	✓	✓	1	n.a.	✓	✓	n.a.	✓	●	n.a.	
A			AXIS P5534	5.40.9.5	✓	✓	1	✓	✓	✓	n.a.	✓	●	✗	
A			AXIS P5514	5.85.1	✓	✓	1	✓	✓	✓	n.a.	✓	✓	✗	
B			AXIS P5514-E	5.85.1	✓	✓		✓	✓	✓	n.a.	✓	✓	✓	
B			AXIS P5515	5.85.1	✓	✓		✓	✓	✓	n.a.	✓	✓	✓	
B			AXIS P5515-E	5.85.1	✓	✓		✓	✓	✓	n.a.	✓	✓	✓	
A			AXIS P5544	5.41.2.2	✓	✓	1	✓	✓	✓	n.a.	●	●	n.a.	
A			AXIS Q1755	5.50.4.1	✓	✓	1	n.a.	✓	●	n.a.	●	●	n.a.	

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live		# Video Inputs	PTZ	Motion detection	Events		State supervision	Config. from within BVMS	Audio In
					Direct	VSG				Input	Relay			
					Direct	VSG		Direct	Motion	Input	Relay			G.711
B			DS-2CD733F-EZ		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD733F-EIZ		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
title			R0											
B			DS-2CD2022-I		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2032-I		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2012F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2022F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2032F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2112F-I(S)(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2122F-I(S)(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2212-I5		✓	✓	1	n.a.	✓			✓	○	
A			DS-2CD2232-I5	V5.3.0 build 150513	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	○	n.a.
A			DS-2CD2132F-I	V5.3.0 build 150513	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	○	n.a.
B			DS-2CD2312-I		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2322-I		✓	✓	1	n.a.	✓			✓	○	
A			DS-2CD2332-I	V5.3.0 build 150513	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	○	n.a.
B			DS-2CD2412F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2422F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2432F-I(W)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2512F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2522F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2532F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2612F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2622F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2632F-I(S)		✓	✓	1	n.a.	✓			✓	○	
A			DS-2CD2712F-IS	V5.2.0 build 140721	✓	✓	1	n.a.	✓	✓	✓	✓	○	○
B			DS-2CD2722F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2732F-I(S)		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2T12-I3/I5/I8		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2T22-I3/I5/I8		✓	✓	1	n.a.	✓			✓	○	
B			DS-2CD2T32-I3/I5/I8		✓	✓	1	n.a.	✓			✓	○	
title			R1											
A			DS-2CD4012F-A	V5.3.0 build 150513	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
A				IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
B			DS-2CD4012FWD-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
A			DS-2CD4024F-A	V5.3.0 build 150513	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
A				IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
A			DS-2CD4032FWD	V5.2.0 build 140721	✓	✓	1	n.a.	✓	✓	✓	✓	○	○
A			DS-2CD4112F-IZ	IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
B			DS-2CD4112FWD-I(Z)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
B			DS-2CD4124F-I(Z)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
A			DS-2CD4132FWD-IZ	V5.2.0 build 140721	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
A			DS-2CD4212F-IZS	V5.1.0 build 131202	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
A				Baseline IPC_R1_En_V5.2.0 140721	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
B			DS-2CD4212FWD-I(Z)(S)(H)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
A			DS-2CD4224F-IZS	V5.3.0 build 150513	✓	✓	1	n.a.	✓	✓	n.a.	✓	○	n.a.
A				IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
B			DS-2CD4232FWD-I(Z)(S)(H)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
B			DS-2CD4312F-IZHS		✓	✓	1	n.a.	✓	✓	✓	✓	○	
A			DS-2CD4312F-IZHS	IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
B			DS-2CD4312F-PTZ(S)		✓	✓	1	n.a.	✓	✓	✓	✓	○	
B			DS-2CD4312FWD-PTZ(S)		✓	✓	1	✓	✓	✓	✓	✓	○	
A			DS-2CD4324F-IZS	IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	○	n.a.
B			DS-2CD4324F-PTZ		✓	✓	1	✓	✓	✓	✓	✓	○	

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live		# Video Inputs	PTZ	Motion detection	Events		State supervision	Config. from within BVMS	Audio In
					Direct	VSG				Input	Relay			
	title				Direct	VSG		Direct	Motion	Input	Relay			G.711
B			DS-2CD4332FWD-I(Z)(S)(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
A			DS-2CD4332FWD-PTZ	IPC_R1_EN_STD_5.3.5_151218	✓	✓	1	✓	✓	✓	✓	✓	✓	n.a.
	title		R3											
B			DS-2CD4024FWD-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4124FWD-(I)(Z)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4224FWD-I(Z)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4324FWD-I(Z)(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4524FWD-I(Z)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4524FWD-I(Z)(M)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4624FWD-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4026FWD-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4126FWD-IZ		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4526FWD-IZ(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4626FWD-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
A			DS-2CD4A26FWD-IZH	V5.3.0 build 150513	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	n.a.
A			DS-2CD6026FHWD	V5.1.0 build 131118	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓
	title		R4											
B			DS-2CD4025FWD-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
A			DS-2CD4035F-A	V5.3.0 build 150326	✓	✓	1	n.a.	✓	✓	n.a.	✓	✓	n.a.
A				IPC_R4_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	✓	n.a.
B			DS-2CD4035FWD-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4065F-(A)(P)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
A			DS-2CD4125FWD-IZ	IPC_R4_EN_STD_5.3.5_151218	✓	✓	1	n.a.	✓	✓	✓	✓	✓	n.a.
B			DS-2CD4135F-IZ		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4135FWD-IZ		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4525FWD-IZ(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4535F-IZ(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4535FWD-IZ(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4565F-IZ(H)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4625FWD-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4635F-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4635FWD-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4665F-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4A35F-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
B			DS-2CD4A35FWD-IZ(H)(S)		✓	✓	1	n.a.	✓	✓	✓	✓	✓	
	title		Others (Fisheye)											
B			DS-2CD6332FWD-I(V)(S)		✓	✓			✓	✓	✓	✓	✓	
A			DS-2CD6362F-IS	V5.0.9 build 140916	✓	✓	5	✓	✓	✓	✓	✓	✓	✓
	title		DF Speed dome R3											
B			DS-2DF5264(N)-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264(N)-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264(N)-A3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264(N)-AE3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264(N)-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264(N)-D3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5264-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268(N)-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268(N)-A3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268(N)-AE3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268(N)-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268(N)-D3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5268-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5272-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF5272-A3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live	Playback / Recording	# Video Inputs	PTZ	Motion detection	Events	State supervision	Config. from within BVMS	Audio In
					Direct	VSG	Direct	Motion	Input	Relay			G.711
title					Direct	VSG		Direct	Motion	Input	Relay		G.711
B			DS-2DF5272-D	V5.3.8 build 150722	✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5272-D3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-A		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-A3F		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-AE3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-AF		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274C-A		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274C-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274C-D		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-D		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5274-D3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5275-A3H		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5275-AH		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5276-A		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5276-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5276-A3F		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5276-A3H		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5276-AE3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276-AEL	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276-AF	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276-AH	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276C-A	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276C-A3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276C-D	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276C-D3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5276-D	✓	✓	1	✓	✓	✓	✓	✓	✓	
A			DS-2DF5276-D3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF527A-A	V5.2.0 build 141009	✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF527A-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF527A-D		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF527A-D3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5283-A		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5283-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5284-A		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5284-A3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5284-A3F		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5284-AE3		✓	✓	1	✓	✓	✓	✓	✓	✓
B			DS-2DF5284-AEL	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5284-AF	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5284-D	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5284-D3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5285-A:	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5285-A3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5285-AE3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-A	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-A3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-A3F	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-AE3	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-AEL	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-AF	✓	✓	1	✓	✓	✓	✓	✓	✓	
B			DS-2DF5286-D	✓	✓	1	✓	✓	✓	✓	✓	✓	

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live		# Video Inputs	PTZ		Motion detection		Events		State supervision	Config. from within BVMS	Audio In
					Direct	VSG		Direct	Motion	Input	Relay					
title					Direct	VSG		Direct	Motion	Input	Relay					G.711
B			DS-2DF5286-D3		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7264(N)-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7264(N)-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7264-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7268(N)-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7268(N)-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7268-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7272-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7272-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274-AF		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274-AW		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274C-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274C-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7274-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7275-AH		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-AF		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-AH		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-AW		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276C-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276C-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7276-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF727A-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF727A-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7283-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7284-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7284-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7284-AF		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7284-AW		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7284-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7285-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7286-A		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7286-AEL		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7286-AF		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7286-AW		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
B			DS-2DF7286-D		✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	✓
title		Interlogix														
A			TVB-3101	V5.0.J	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	✓	✓	n.a.
A			TVB-3102	V5.1	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	✓	✓	n.a.
A			TVW-3101	V5.1	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	✓	✓	n.a.
A			TVD-3101	V5.1	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	✓	✓	n.a.
A			TVD-3103	V5.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	n.a.
A			TVC-3201	V7.0	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
A			TVC-3202	V7.0	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
title	title	Sony														
A			SNC-VM630	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✗
A			SNC-VB630	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
A			SNC-VB600B	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
A			SNC-VM601	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
A			SNC-WR630	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	✓	✓	✓	✓
A			SNC-EM602R	2.6.1	✓	✓	1	n.a.	✓	n.a.	n.a.	✓	✓	✓	✓	✗

Certified for BVMS 6.0	Certified for Live/ Playback	Manufacturer	Model	Firmware	Live	Playback / Recording	# Video Inputs	PTZ	Motion detection	Events	State supervision	Config. from within BVMS	Audio In
title					Direct	VSG		Direct	Motion	Input	Relay		G.711
A			SNC-VM600	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	n.a.
A			SNC-VM631	2.6.1	✓	✓	1	n.a.	✓	✓	✓	✓	n.a.
title		24.03.2016 15:46											

Legend			
Symbol	Value to type	Comment	
✗	= 0	Not supported by Bosch VMS	
●	= 1	Sporadic Issues	
✓	= 2	Working	
n.a.		Not supported	
A		Individually tested	
B		Firmware tested	